

diarrhea. May cause tremors, faintness, paralysis of the arms and legs, and slow or irregular heartbeat. Severe cases may produce collapse and death due to respiratory failure. Isopropyl alcohol may cause drowsiness, unconsciousness and death.

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: Dissolve with hexane and wash the affected area with soap and water for at least 15 minutes.

EYE CONTACT: Seek immediate medical attention.

INGESTION: Seek immediate medical attention.

-----**REACTIVITY DATA**-----

STABILITY: Stable.

CONDITIONS TO AVOID: Contact with ignition source or heat.

INCOMPATIBILITY: Hydrolyzes in water

HAZARDOUS DECOMPOSITION PRODUCTS: BaO, TiO₂, CO, CO₂, and organic fumes

HAZARDOUS POLYMERIZATION: No data

-----**ENVIRONMENTAL INFORMATION**-----

SPILL OR LEAKAGE PROCEDURES: Wearing full protective equipment, eliminate all sources of ignition. Dissolve in hexane and wash with water. Sweep up the mixture and dispose of properly.

WASTE DISPOSAL: Consult state, local, or federal EPA regulations for proper disposal.

-----**PROTECTION AND PRECAUTIONS**-----

VENTILATION REQUIREMENTS: None

RESPIRATORY PROTECTION: None

PROTECTIVE GLOVES: Rubber or latex

EYE/FACE PROTECTION: ANSI approved safety goggles

HANDLING AND STORAGE: Keep away from heat.

OTHER PRECAUTIONS: The material will hydrolyze with water. Lab coat and apron, flame and chemical resistant coveralls, eyewash capable of sustained flushing, safety drench shower and hygienic facilities for washing.

The information herein is believed to be accurate and reliable as of the date compiled. However, Chemat Technology Inc. makes no representation, warranty or guarantee of any kind with respect to the information on this data sheet or any use of the product based upon this information.

DATE PREPARED: August 22, 2005